



HTD 3M-06

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
10-3M-06	10	AF	AL	9.55	8.79	13	13	-	7.2	14.5	-
12-3M-06	12	AF	AL	11.46	10.70	15	15	-	7.2	14.5	-
14-3M-06	14	AF	AL	13.37	12.61	16	16	-	7.2	14.5	-
15-3M-06	15	AF	AL	14.32	13.56	17.5	17.6	-	7.2	14.5	-
16-3M-06	16	EF	AL	15.28	14.52	18	10	-	9.8	17.5	-
18-3M-06	18	EF	AL	17.19	16.43	20	11	-	9.8	17.5	6
20-3M-06	20	EF	AL	19.10	18.34	23	12	-	9.8	17.5	6
21-3M-06	21	EF	AL	20.05	19.29	25	13	-	9.8	17.5	6
22-3M-06	22	EF	AL	21.01	20.25	25	13	-	9.8	17.5	6
24-3M-06	24	EF	AL	22.92	22.16	25	13	-	9.8	17.5	6
26-3M-06	26	EF	AL	24.83	24.07	28	16	-	9.8	17.5	6
28-3M-06	28	EF	AL	26.74	25.98	32	18	-	9.8	17.5	6
30-3M-06	30	EF	AL	28.65	27.89	32	20	-	9.8	17.5	6
32-3M-06	32	EF	AL	30.56	29.80	36	22	-	9.8	17.5	6
36-3M-06	36	EF	AL	34.38	33.62	38	26	-	10.3	18	6
40-3M-06	40	EF	AL	38.20	37.44	42	28	-	10.3	18	6
44-3M-06	44	EF	AL	42.02	41.26	48	33	-	10.3	18	6
48-3M-06	48	E	AL	45.84	45.08	-	33	-	10.3	18.6	8
60-3M-06	60	E	AL	57.30	56.54	-	33	-	10.3	18.6	8
72-3M-06	72	E	AL	68.75	67.99	-	33	-	10.3	18.6	8



HTD 3M-09

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
10-3M-09	10	AF	AL	9.55	8.79	13	13	-	10.2	17.5	-
12-3M-09	12	AF	AL	11.46	10.70	15	15	-	10.2	17.5	-
14-3M-09	14	AF	AL	13.37	12.61	16	16	-	10.2	17.5	-
15-3M-09	15	AF	AL	14.32	13.56	17.5	17.6	-	10.2	17.5	-
16-3M-09	16	EF	AL	15.28	14.52	18	10	-	12.8	20.6	-
18-3M-09	18	EF	AL	17.19	16.43	20	11	-	12.8	20.6	6
20-3M-09	20	EF	AL	19.10	18.34	23	12	-	12.8	20.6	6
21-3M-09	21	EF	AL	20.05	19.29	25	13	-	12.8	20.6	6
22-3M-09	22	EF	AL	21.01	20.25	25	13	-	12.8	20.6	6
24-3M-09	24	EF	AL	22.92	22.16	25	13	-	12.8	20.6	6
26-3M-09	26	EF	AL	24.83	24.07	28	16	-	12.8	20.6	6
28-3M-09	28	EF	AL	26.74	25.98	32	18	-	12.8	20.6	6
30-3M-09	30	EF	AL	28.65	27.89	32	20	-	12.8	20.6	6
32-3M-09	32	EF	AL	30.56	29.80	36	22	-	12.8	20.6	6
36-3M-09	36	EF	AL	34.38	33.62	38	26	-	13.4	22.2	6
40-3M-09	40	EF	AL	38.20	37.44	42	28	-	13.4	22.2	6
44-3M-09	44	EF	AL	42.02	41.26	48	33	-	13.4	22.2	-
48-3M-09	48	E	AL	45.84	45.08	-	33	-	13.4	22.2	8
60-3M-09	60	E	AL	57.30	56.54	-	33	-	13.4	22.2	8
72-3M-09	72	E	AL	68.75	67.99	-	33	-	13.4	22.2	8

HTD 3M-15

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
10-3M-15	10	AF	AL	9.55	8.79	13	13	-	17	26	-
12-3M-15	12	AF	AL	11.46	10.70	15	15	-	17	26	-
14-3M-15	14	AF	AL	13.37	12.61	16	16	-	17	26	-
15-3M-15	15	AF	AL	14.32	13.56	17.5	17.5	-	17	26	-
16-3M-15	16	EF	AL	15.28	14.52	18	10	-	19.5	26	-
18-3M-15	18	EF	AL	17.19	16.43	20	11	-	19.5	26	6
20-3M-15	20	EF	AL	19.10	18.34	23	12	-	19.5	26	6
21-3M-15	21	EF	AL	20.05	19.29	25	13	-	19.5	26	6
22-3M-15	22	EF	AL	21.01	20.25	25	13	-	19.5	26	6
24-3M-15	24	EF	AL	22.92	22.16	25	13	-	19.5	26	6
26-3M-15	26	EF	AL	24.83	24.07	28	16	-	19.5	26	6
28-3M-15	28	EF	AL	26.74	25.98	32	18	-	19.5	26	6
30-3M-15	30	EF	AL	28.65	27.89	32	20	-	19.5	26	6
32-3M-15	32	EF	AL	30.56	29.80	36	22	-	19.5	26	6
36-3M-15	36	EF	AL	34.38	33.62	38	26	-	20	30	6
40-3M-15	40	EF	AL	38.20	37.44	42	28	-	20	30	6
44-3M-15	44	EF	AL	42.02	41.26	48	33	-	20	30	-
48-3M-15	48	E	AL	45.84	45.08	-	33	-	20	30	8
60-3M-15	60	E	AL	57.30	56.54	-	33	-	20	30	8
72-3M-15	72	E	AL	68.75	67.99	-	33	-	20	30	8

HTD 5M-09

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
12-5M-09	12	EF	STEEL	19.10	17.96	23	12	-	14.5	20	-
14-5M-09	14	EF	STEEL	22.28	21.14	25	13	-	14.5	20	6
15-5M-09	15	EF	STEEL	23.87	22.73	28	16	-	14.5	20	6
16-5M-09	16	EF	STEEL	25.46	24.32	28	16.5	-	14.5	20	6
18-5M-09	18	EF	STEEL	28.65	27.51	32	20	-	14.5	20	6
20-5M-09	20	EF	STEEL	31.83	30.69	36	23	-	14.5	22.5	6
21-5M-09	21	EF	STEEL	33.42	32.28	38	24	-	14.5	22.5	6
22-5M-09	22	EF	STEEL	35.01	33.87	39	25.5	-	14.5	22.5	6
24-5M-09	24	EF	STEEL	38.20	37.06	42	27	-	14.5	22.5	6



HTD 5M-09

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
26-5M-09	26	EF	STEEL	41.38	40.24	44	30	-	14.5	22.5	6
28-5M-09	28	EF	STEEL	44.56	43.42	48	30.5	-	14.5	22.5	6
30-5M-09	30	EF	STEEL	47.75	46.60	51	35	-	14.5	22.5	6
32-5M-09	32	EF	STEEL	50.93	49.79	54	38	-	14.5	22.5	8
36-5M-09	36	EF	STEEL	57.30	56.16	60	38	-	14.5	22.5	8
40-5M-09	40	EF	STEEL	63.66	62.52	70	38	-	14.5	22.5	8
44-5M-09	44	EC	AL	70.03	68.89	-	38	54	14.5	22.5	8
48-5M-09	48	EC	AL	76.39	75.25	-	45	61	14.5	22.5	8
60-5M-09	60	EC	AL	95.49	94.35	-	45	80	14.5	22.5	8
72-5M-09	72	EC	AL	114.59	113.45	-	45	100	14.5	22.5	8

HTD 5M-15

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
12-5M-15	12	EF	STEEL	19.10	17.96	23	12	-	20.5	26	-
14-5M-15	14	EF	STEEL	22.28	21.14	25	13	-	20.5	26	6
15-5M-15	15	EF	STEEL	23.87	22.73	28	16	-	20.5	26	6
16-5M-15	16	EF	STEEL	25.46	24.32	28	16.5	-	20.5	26	6
18-5M-15	18	EF	STEEL	28.65	27.51	32	20	-	20.5	26	6
20-5M-15	20	EF	STEEL	31.83	30.69	36	23	-	20.5	26	6
21-5M-15	21	EF	STEEL	33.42	32.28	38	24	-	20.5	26	6
22-5M-15	22	EF	STEEL	35.01	33.87	39	25.5	-	20.5	26	6
24-5M-15	24	EF	STEEL	38.20	37.06	42	27	-	20.5	28	6
26-5M-15	26	EF	STEEL	41.38	40.24	44	30	-	20.5	28	6
28-5M-15	28	EF	STEEL	44.56	43.42	48	30.5	-	20.5	28	6
30-5M-15	30	EF	STEEL	47.75	46.60	51	35	-	20.5	28	6
32-5M-15	32	EF	STEEL	50.93	49.79	54	38	-	20.5	28	8
36-5M-15	36	EF	STEEL	57.30	56.16	60	38	-	20.5	28	8
40-5M-15	40	EF	STEEL	63.66	62.52	70	38	-	20.5	28	8
44-5M-15	44	EC	AL	70.03	68.89	-	38	54	20.5	30	8
48-5M-15	48	EC	AL	76.39	75.25	-	45	61	20.5	30	8
60-5M-15	60	EC	AL	95.49	94.35	-	45	80	20.5	30	8
72-5M-15	72	EC	AL	114.59	113.45	-	45	100	20.5	30	8

HTD 5M-25

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
12-5M-25	12	EF	STEEL	19.10	17.96	23	12	-	30.5	36	-
14-5M-25	14	EF	STEEL	22.28	21.14	25	13	-	30.5	36	6
15-5M-25	15	EF	STEEL	23.87	22.73	28	16	-	30.5	36	6
16-5M-25	16	EF	STEEL	25.46	24.32	28	16.5	-	30.5	36	6
18-5M-25	18	EF	STEEL	28.65	27.51	32	20	-	30.5	36	6
20-5M-25	20	EF	STEEL	31.83	30.69	36	23	-	30.5	36.5	6
21-5M-25	21	EF	STEEL	33.42	32.28	38	24	-	30.5	38.5	6
22-5M-25	22	EF	STEEL	35.01	33.87	39	25.5	-	30.5	38.5	6
24-5M-25	24	EF	STEEL	38.20	37.06	42	27	-	30.5	38.5	6
26-5M-25	26	EF	STEEL	41.38	40.24	44	30	-	30.5	38.5	6
28-5M-25	28	EF	STEEL	44.56	43.42	48	30.5	-	30.5	38.5	6
30-5M-25	30	EF	STEEL	47.75	46.60	51	35	-	30.5	38.5	6
32-5M-25	32	EF	STEEL	50.93	49.79	54	38	-	30.5	38.5	8
36-5M-25	36	EF	STEEL	57.30	56.16	60	38	-	30.5	38.5	8
40-5M-25	40	EF	STEEL	63.66	62.52	70	38	-	30.5	38.5	8
44-5M-25	44	EC	AL	70.03	68.89	-	38	54	30.5	40.5	8
48-5M-25	48	EC	AL	76.39	75.25	-	45	61	30.5	40.5	8
60-5M-25	60	EC	AL	95.49	94.35	-	45	80	30.5	40.5	8
72-5M-25	72	EC	AL	114.59	113.45	-	45	100	30.5	40.5	8



HTD 8M-20

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
22-8M-20	22	EF	STEEL	56.02	54.65	60	43	-	28	38	12
24-8M-20	24	EF	STEEL	61.12	59.75	66	45	-	28	38	12
26-8M-20	26	EF	STEEL	66.21	64.84	70	48	-	28	38	12
28-8M-20	28	EF	STEEL	71.30	70.08	75	50	-	28	38	15
30-8M-20	30	EF	STEEL	76.39	75.13	83	55	-	28	38	15
32-8M-20	32	EF	STEEL	81.49	80.16	87	60	-	28	38	15
34-8M-20	34	EF	STEEL	86.58	85.22	91	70	-	28	38	15
36-8M-20	36	EF	STEEL	91.67	90.30	97	75	-	28	38	15
38-8M-20	38	EF	STEEL	96.77	95.39	102	75	-	28	38	15
40-8M-20	40	EF	STEEL	101.86	100.49	106	75	-	28	38	15
44-8M-20	44	EF	STEEL	112.05	110.67	120	75	-	28	38	15
48-8M-20	48	EF	STEEL	122.23	120.86	128	75	-	28	38	15
56-8M-20	56	ECF	STEEL	142.60	141.23	150	80	116	28	38	15
64-8M-20	64	ECF	STEEL	162.97	161.60	168	80	137	28	38	15
72-8M-20	72	ECF	STEEL	183.35	181.97	192	80	158	28	38	15
80-8M-20	80	EC	CAST IRON	203.72	202.35	-	90	180	28	38	15
90-8M-20	90	EA	CAST IRON	229.18	227.81	-	90	204	28	38	15
112-8M-20	112	EA	CAST IRON	285.12	283.83	-	90	254	28	38	18
144-8M-20	144	EA	CAST IRON	366.69	365.32	-	90	336	28	38	20
168-8M-20	168	EA	CAST IRON	427.81	426.44	-	100	400	28	38	20
192-8M-20	192	EA	CAST IRON	488.92	487.55	-	100	460	28	38	20

HTD 8M-30

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
22-8M-30	22	EF	STEEL	56.02	54.65	60	43	-	38	48	12
24-8M-30	24	EF	STEEL	61.12	59.75	66	45	-	38	48	12
26-8M-30	26	EF	STEEL	66.21	64.84	70	48	-	38	48	12
28-8M-30	28	EF	STEEL	71.30	70.08	75	50	-	38	48	15
30-8M-30	30	EF	STEEL	76.39	75.13	83	55	-	38	48	15
32-8M-30	32	EF	STEEL	81.49	80.16	87	60	-	38	48	15
34-8M-30	34	EF	STEEL	86.58	85.22	91	70	-	38	48	15
36-8M-30	36	EF	STEEL	91.67	90.30	97	75	-	38	48	15
38-8M-30	38	EF	STEEL	96.77	95.39	102	75	-	38	48	15
40-8M-30	40	EF	STEEL	101.86	100.49	106	75	-	38	48	15
44-8M-30	44	EF	STEEL	112.05	110.67	120	75	-	38	48	15
48-8M-30	48	EF	STEEL	122.23	120.86	128	75	-	38	48	15
56-8M-30	56	ECF	STEEL	142.60	141.23	150	90	-	38	48	15
64-8M-30	64	ECF	STEEL	162.97	161.60	168	90	-	38	48	15
72-8M-30	72	ECF	STEEL	183.35	181.97	192	95	-	38	48	15
80-8M-30	80	EC	CAST IRON	203.72	202.35	-	100	-	38	48	15
90-8M-30	90	EA	CAST IRON	229.18	227.81	-	100	-	38	48	15
112-8M-30	112	EA	CAST IRON	285.12	283.83	-	100	-	38	48	18
144-8M-30	144	EA	CAST IRON	366.69	365.32	-	100	-	38	48	20
168-8M-30	168	EA	CAST IRON	427.81	426.44	-	100	-	38	48	20
192-8M-30	192	EA	CAST IRON	488.92	487.55	-	100	-	38	48	20



HTD 8M-50

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
22-8M-50	22	EF	STEEL	56.02	54.65	60	43	-	60	70	12
24-8M-50	24	EF	STEEL	61.12	59.75	66	45	-	60	70	12
26-8M-50	26	EF	STEEL	66.21	64.84	70	48	-	60	70	15
28-8M-50	28	EF	STEEL	71.30	70.08	75	50	-	60	70	15
30-8M-50	30	EF	STEEL	76.39	75.13	83	55	-	60	70	15
32-8M-50	32	EF	STEEL	81.49	80.16	87	60	-	60	70	15
34-8M-50	34	EF	STEEL	86.58	85.22	91	70	-	60	70	15
36-8M-50	36	EF	STEEL	91.67	90.30	97	75	-	60	70	15
38-8M-50	38	EF	STEEL	96.77	95.39	102	75	-	60	70	15
40-8M-50	40	EF	STEEL	101.86	100.49	106	75	-	60	70	18
44-8M-50	44	EF	STEEL	112.05	110.67	120	75	-	60	70	18
48-8M-50	48	EF	STEEL	122.23	120.86	128	75	-	60	70	18
56-8M-50	56	JCF	STEEL	142.60	141.23	150	80	116	60	70	18
64-8M-50	64	JCF	STEEL	162.97	161.60	168	80	137	60	70	18
72-8M-50	72	JCF	STEEL	183.35	181.97	192	80	158	60	70	18
80-8M-50	80	JC	CAST IRON	203.72	202.35	-	110	180	60	70	18
90-8M-50	90	JA	CAST IRON	229.18	227.81	-	110	204	60	70	18
112-8M-50	112	JA	CAST IRON	285.12	283.83	-	110	254	60	70	18
144-8M-50	144	JA	CAST IRON	366.69	365.32	-	110	336	60	70	20
168-8M-50	168	JA	CAST IRON	427.81	426.44	-	120	400	60	70	20
192-8M-50	192	JA	CAST IRON	488.92	487.55	-	130	460	60	70	20

HTD 8M-85

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Df	De	Df	d3	D1	W	H	d
22-8M-85	22	EF	STEEL	56.02	54.65	60	43	-	95	105	12
24-8M-85	24	EF	STEEL	61.12	59.75	66	45	-	95	105	12
26-8M-85	26	EF	STEEL	66.21	64.84	70	48	-	95	105	12
28-8M-85	28	EF	STEEL	71.30	70.08	75	50	-	95	105	15
30-8M-85	30	EF	STEEL	76.39	75.13	83	55	-	95	105	15
32-8M-85	32	EF	STEEL	81.49	80.16	87	60	-	95	105	15
34-8M-85	34	EF	STEEL	86.58	85.22	91	66	-	95	105	15
36-8M-85	36	EF	STEEL	91.67	90.30	97	70	-	95	105	15
38-8M-85	38	EF	STEEL	96.77	95.39	102	75	-	95	105	15
40-8M-85	40	EF	STEEL	101.86	100.49	106	75	-	95	105	18
44-8M-85	44	EF	STEEL	112.05	110.67	120	75	-	95	105	18
48-8M-85	48	EF	STEEL	122.23	120.86	128	80	-	95	105	18
56-8M-85	56	EF	STEEL	142.60	141.23	150	90	-	95	105	18
64-8M-85	64	JCF	STEEL	162.97	161.60	168	100	137	95	105	20
72-8M-85	72	JCF	STEEL	183.35	181.97	192	100	158	95	105	20
80-8M-85	80	JC	CAST IRON	203.72	202.35	-	110	180	95	105	20
90-8M-85	90	JA	CAST IRON	229.18	227.81	-	110	204	95	105	20
112-8M-85	112	JA	CAST IRON	285.12	283.83	-	110	254	95	105	24
144-8M-85	144	JA	CAST IRON	366.69	365.32	-	110	336	95	105	24
168-8M-85	168	JA	CAST IRON	427.81	426.44	-	120	400	95	105	24
192-8M-85	192	JA	CAST IRON	488.92	487.55	-	130	460	95	105	24



HTD 14M-40

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
28-14M-40	28	EF	STEEL	124.78	122.12	128	100	-	54	69	24
29-14M-40	29	EF	STEEL	129.23	126.57	138	100	-	54	69	24
30-14M-40	30	EF	STEEL	133.69	130.99	138	100	-	54	69	24
32-14M-40	32	EF	STEEL	142.60	139.88	154	100	-	54	69	24
34-14M-40	34	EF	STEEL	151.52	148.79	160	100	-	54	69	24
36-14M-40	36	EF	STEEL	160.43	157.68	168	100	-	54	69	24
38-14M-40	38	EF	STEEL	169.34	166.60	184	120	-	54	69	24
40-14M-40	40	EF	STEEL	178.25	175.49	188	120	-	54	69	24
44-14M-40	44	EF	STEEL	196.08	193.28	211	120	-	54	69	24
48-14M-40	48	ECF	CAST IRON	213.90	211.11	226	135	170	54	69	24
56-14M-40	56	ECF	CAST IRON	249.55	246.76	256	135	207	54	69	28
64-14M-40	64	ECF	CAST IRON	285.21	282.41	296	135	240	54	69	28
72-14M-40	72	EA	CAST IRON	320.86	318.06	-	135	278	54	69	28
80-14M-40	80	EA	CAST IRON	356.51	353.71	-	135	314	54	69	28
90-14M-40	90	EA	CAST IRON	401.07	398.28	-	135	358	54	69	28
112-14M-40	112	EA	CAST IRON	499.11	496.32	-	135	456	54	69	28
144-14M-40	144	EA	CAST IRON	641.71	638.92	-	135	600	54	69	28
168-14M-40	168	EA	CAST IRON	748.66	745.87	-	135	706	54	69	28
192-14M-40	192	EA	CAST IRON	855.62	852.82	-	135	813	54	69	28
216-14M-40	216	EA	CAST IRON	962.57	959.76	-	150	920	54	69	28



HTD 14M-55

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
28-14M-55	28	EF	STEEL	124.78	122.12	128	100	-	70	85	24
29-14M-55	29	EF	STEEL	129.23	126.57	138	100	-	70	85	24
30-14M-55	30	EF	STEEL	133.69	130.99	138	100	-	70	85	24
32-14M-55	32	EF	STEEL	142.60	139.88	154	100	-	70	85	24
34-14M-55	34	EF	STEEL	151.52	148.79	160	100	-	70	85	24
36-14M-55	36	EF	STEEL	160.43	157.68	168	100	-	70	85	24
38-14M-55	38	EF	STEEL	169.34	166.60	184	120	-	70	85	24
40-14M-55	40	EF	STEEL	178.25	175.49	188	120	-	70	85	24
44-14M-55	44	EF	STEEL	196.08	193.28	211	120	-	70	85	24
48-14M-55	48	JCF	CAST IRON	213.90	211.11	226	135	170	70	70	24
56-14M-55	56	JCF	CAST IRON	249.55	246.76	256	135	207	70	70	28
64-14M-55	64	JCF	CAST IRON	285.21	282.41	296	135	240	70	70	28
72-14M-55	72	JA	CAST IRON	320.86	318.06	-	135	280	70	70	28
80-14M-55	80	JA	CAST IRON	356.51	353.71	-	135	314	70	70	28
90-14M-55	90	JA	CAST IRON	401.07	398.28	-	135	358	70	70	28
112-14M-55	112	JA	CAST IRON	499.11	496.32	-	135	456	70	70	28
144-14M-55	144	JA	CAST IRON	641.71	638.92	-	135	600	70	70	28
168-14M-55	168	JA	CAST IRON	748.66	745.87	-	135	706	70	70	28
192-14M-55	192	JA	CAST IRON	855.62	852.82	-	135	813	70	70	28
216-14M-55	216	JA	CAST IRON	962.57	959.76	-	150	920	70	70	28

HTD 14M-85

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
28-14M-85	28	EF	STEEL	124.78	122.12	128	100	-	102	117	24
29-14M-85	29	EF	STEEL	129.23	126.57	138	100	-	102	117	24
30-14M-85	30	EF	STEEL	133.69	130.99	138	100	-	102	117	24
32-14M-85	32	EF	STEEL	142.60	139.88	154	100	-	102	117	24
34-14M-85	34	EF	STEEL	151.52	148.79	160	100	-	102	117	24
36-14M-85	36	EF	STEEL	160.43	157.68	168	100	-	102	117	32
38-14M-85	38	EF	STEEL	169.34	166.60	184	120	-	102	117	32
40-14M-85	40	EF	STEEL	178.25	175.49	188	135	-	102	117	32
44-14M-85	44	EF	STEEL	196.08	193.28	211	135	-	102	117	32
48-14M-85	48	EF	STEEL	213.90	211.11	226	150	-	102	117	32
56-14M-85	56	JCF	CAST IRON	249.55	246.76	256	150	207	102	117	32
64-14M-85	64	JCF	CAST IRON	285.21	282.41	296	150	240	102	102	32
72-14M-85	72	JA	CAST IRON	320.86	318.06	-	150	278	102	102	32
80-14M-85	80	JA	CAST IRON	356.51	353.71	-	150	314	102	102	32
90-14M-85	90	JA	CAST IRON	401.07	398.28	-	150	358	102	102	32
112-14M-85	112	JA	CAST IRON	499.11	496.32	-	150	456	102	102	32
144-14M-85	144	JA	CAST IRON	641.71	638.92	-	150	600	102	102	32
168-14M-85	168	JA	CAST IRON	748.66	745.87	-	150	706	102	102	32
192-14M-85	192	JA	CAST IRON	855.62	852.82	-	165	813	102	102	32
216-14M-85	216	JA	CAST IRON	962.57	959.76	-	160	920	102	102	32



HTD 14M-115

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
28-14M-115	28	EF	STEEL	124.78	122.12	128	100	-	133	148	32
29-14M-115	29	EF	STEEL	129.23	126.57	138	100	-	133	148	32
30-14M-115	30	EF	STEEL	133.69	130.99	138	100	-	133	148	32
32-14M-115	32	EF	STEEL	142.60	139.88	154	100	-	133	148	32
34-14M-115	34	EF	STEEL	151.52	148.79	160	100	-	133	148	32
36-14M-115	36	EF	STEEL	160.43	157.68	168	100	-	133	148	32
38-14M-115	38	EF	STEEL	169.34	166.60	184	120	-	133	148	32
40-14M-115	40	EF	STEEL	178.25	175.49	188	135	-	133	148	32
44-14M-115	44	EF	STEEL	196.08	193.28	211	140	-	133	148	32
48-14M-115	48	EF	STEEL	213.90	211.11	226	150	-	133	148	32
56-14M-115	56	EF	STEEL	249.55	246.76	256	150	-	133	148	32
64-14M-115	64	JCF	CAST IRON	285.21	282.41	296	150	240	133	133	32
72-14M-115	72	JA	CAST IRON	320.86	318.06	-	150	278	133	133	32
80-14M-115	80	JA	CAST IRON	356.51	353.71	-	150	314	133	133	32
90-14M-115	90	JA	CAST IRON	401.07	398.28	-	150	358	133	133	32
112-14M-115	112	JA	CAST IRON	499.11	496.32	-	150	456	133	133	32
144-14M-115	144	JA	CAST IRON	641.71	638.92	-	165	600	133	133	32
168-14M-115	168	JA	CAST IRON	748.66	745.87	-	165	706	133	133	32
192-14M-115	192	JA	CAST IRON	855.62	852.82	-	165	813	133	133	32
216-14M-115	216	JA	CAST IRON	962.57	959.76	-	165	920	133	133	32

HTD 14M-170

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	D1	W	H	d
28-14M-170	28	EF	STEEL	124.78	122.12	128	100	-	133	148	32
29-14M-170	29	EF	STEEL	129.23	126.57	138	100	-	133	148	32
30-14M-170	30	EF	STEEL	133.69	130.99	138	100	-	133	148	32
32-14M-170	32	EF	STEEL	142.60	139.88	154	100	-	133	148	32
34-14M-170	34	EF	STEEL	151.52	148.79	160	100	-	133	148	32
36-14M-170	36	EF	STEEL	160.43	157.68	168	100	-	133	148	32
38-14M-170	38	EF	STEEL	169.34	166.60	184	120	-	133	148	32
40-14M-170	40	EF	STEEL	178.25	175.49	188	135	-	133	148	32
44-14M-170	44	EF	STEEL	196.08	193.28	211	140	-	133	148	32
48-14M-170	48	EF	CAST IRON	213.90	211.11	226	150	-	133	148	32
56-14M-170	56	EF	CAST IRON	249.55	246.76	256	150	-	133	148	32
64-14M-170	64	JCF	CAST IRON	285.21	282.41	296	150	240	133	133	32
72-14M-170	72	JA	CAST IRON	320.86	318.06	-	150	278	133	133	32
80-14M-170	80	JA	CAST IRON	356.51	353.71	-	150	314	133	133	32
90-14M-170	90	JA	CAST IRON	401.07	398.28	-	150	358	133	133	32
112-14M-170	112	JA	CAST IRON	499.11	496.32	-	150	456	133	133	32
144-14M-170	144	JA	CAST IRON	641.71	638.92	-	165	600	133	133	32
168-14M-170	168	JA	CAST IRON	748.66	745.87	-	165	706	133	133	32
192-14M-170	192	JA	CAST IRON	855.62	852.82	-	165	813	133	133	32
216-14M-170	216	JA	CAST IRON	962.57	959.76	-	165	920	133	133	32