



T2.5 (PITCH=2.5mm) FOR (BELT WIDTH=6mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
12T2.5-16	12	AF	AL	9.60	9.00	13	13	9	16	-
14T2.5-16	14	AF	AL	11.20	10.60	15	15	9	16	-
15T2.5-16	15	AF	AL	12.00	11.40	15	15	9	16	-
16T2.5-16	16	AF	AL	12.80	12.20	16	16	9	16	-
18T2.5-16	18	EF	AL	14.40	13.80	17.5	10	10	16	-
19T2.5-16	19	EF	AL	15.20	14.60	18	10	10	16	-
20T2.5-16	20	EF	AL	16.00	15.40	20	11	10	16	-
22T2.5-16	22	EF	AL	17.60	17.00	23	11	10	16	-
24T2.5-16	24	EF	AL	19.15	18.55	23	12	10	16	-
25T2.5-16	25	EF	AL	19.95	19.35	23	13	10	16	-
26T2.5-16	26	EF	AL	20.75	20.15	25	14	10	16	-
28T2.5-16	28	EF	AL	22.35	21.75	25	14	10	16	-
30T2.5-16	30	EF	AL	23.95	23.35	28	16	10	16	-
32T2.5-16	32	EF	AL	25.95	24.95	32	16	10	16	6
36T2.5-16	36	EF	AL	28.75	28.10	36	20	10	16	6
40T2.5-16	40	EF	AL	31.90	31.30	38	22	10	16	6
44T2.5-16	44	EF	AL	35.10	34.50	42	24	10	16	6
48T2.5-16	48	E	AL	38.30	37.70	-	26	10	16	6
60T2.5-16	60	E	AL	47.85	47.25	-	34	10	16	8

T5 (PITCH=5mm) FOR (BELT WIDTH=10mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
10T5-21	10	EF	AL	16.05	15.05	20	8	15	21	-
12T5-21	12	EF	AL	19.25	18.25	23	11	15	21	-
14T5-21	14	EF	AL	22.45	21.45	25	13	15	21	-
15T5-21	15	EF	AL	24.05	23.05	28	16	15	21	6
16T5-21	16	EF	AL	25.06	24.60	32	18	15	21	6
18T5-21	18	EF	AL	28.80	27.80	32	20	15	21	6
19T5-21	19	EF	AL	30.40	29.40	36	22	15	21	6
20T5-21	20	EF	AL	32.00	31.00	36	23	15	21	6
22T5-21	22	EF	AL	32.15	34.15	38	24	15	21	6
24T5-21	24	EF	AL	38.40	37.40	42	26	15	21	6
25T5-21	25	EF	AL	39.95	39.85	44	26	15	21	6
26T5-21	26	EF	AL	41.60	40.60	44	26	15	21	6
27T5-21	27	EF	AL	43.20	42.20	48	30	15	21	8
28T5-21	28	EF	AL	44.75	43.75	48	32	15	21	8
30T5-21	30	EF	AL	47.95	46.95	51	34	15	21	8
32T5-21	32	EF	AL	51.10	50.10	54	38	15	21	8
36T5-21	36	EF	AL	57.45	56.45	64	38	15	21	8
40T5-21	40	EF	AL	63.85	62.85	66.5	40	15	21	8
42T5-21	42	EF	AL	67.00	66.00	70	40	15	21	8
44T5-21	44	E	AL	70.20	69.20	-	45	15	21	8
48T5-21	48	E	AL	76.55	75.55	-	50	15	21	8
60T5-21	60	E	AL	95.65	94.65	-	65	15	21	8



T5 (PITCH=5mm) FOR (BELT WIDTH=16mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
10T5-27	10	EF	AL	16.05	15.05	20	8	21	27	-
12T5-27	12	EF	AL	19.25	18.25	23	11	21	27	-
14T5-27	14	EF	AL	22.45	21.45	25	13	21	27	-
15T5-27	15	EF	AL	24.05	23.05	28	16	21	27	6
16T5-27	16	EF	AL	25.06	24.60	32	18	21	27	6
18T5-27	18	EF	AL	28.80	27.80	32	20	21	27	6
19T5-27	19	EF	AL	30.40	29.40	36	22	21	27	6
20T5-27	20	EF	AL	32.00	31.00	36	23	21	27	6
22T5-27	22	EF	AL	32.15	34.15	38	24	21	27	6
24T5-27	24	EF	AL	38.40	37.40	42	26	21	27	6
25T5-27	25	EF	AL	39.95	39.85	44	26	21	27	6
26T5-27	26	EF	AL	41.60	40.60	44	26	21	27	6
27T5-27	27	EF	AL	43.20	42.20	48	30	21	27	8
28T5-27	28	EF	AL	44.75	43.75	48	32	21	27	8
30T5-27	30	EF	AL	47.95	46.95	51	34	21	27	8
32T5-27	32	EF	AL	51.10	50.10	54	38	21	27	8
36T5-27	36	EF	AL	57.45	56.45	64	38	21	27	8
40T5-27	40	EF	AL	63.85	62.85	66	40	21	27	8
42T5-27	42	EF	AL	67.00	66.00	70	40	21	27	8
44T5-27	44	E	AL	70.20	69.20	-	45	21	27	8
48T5-27	48	E	AL	76.55	75.55	-	50	21	27	8
60T5-27	60	E	AL	95.65	94.65	-	65	21	27	8

T5 (PITCH=5mm) FOR (BELT WIDTH=25mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
10T5-36	10	EF	AL	16.05	15.05	19.5	8	30	36	-
12T5-36	12	EF	AL	19.25	18.25	23	11	30	36	-
14T5-36	14	EF	AL	22.45	21.45	25	13	30	36	-
15T5-36	15	EF	AL	24.05	23.05	28	16	30	36	6
16T5-36	16	EF	AL	25.06	24.60	32	18	30	36	6
18T5-36	18	EF	AL	28.80	27.80	32	20	30	36	6
19T5-36	19	EF	AL	30.40	29.40	36	22	30	36	6
20T5-36	20	EF	AL	32.00	31.00	36	23	30	36	6
22T5-36	22	EF	AL	32.15	34.15	38	24	30	36	6
24T5-36	24	EF	AL	38.40	37.40	42	26	30	36	8
25T5-36	25	EF	AL	39.95	39.85	44	26	30	36	8
26T5-36	26	EF	AL	41.60	40.60	44	26	30	36	8
27T5-36	27	EF	AL	43.20	42.20	48	30	30	36	8
28T5-36	28	EF	AL	44.75	43.75	48	32	30	36	8
30T5-36	30	EF	AL	47.95	46.95	51	34	30	36	8
32T5-36	32	EF	AL	51.10	50.10	54	38	30	36	8
36T5-36	36	EF	AL	57.45	56.45	64	38	30	36	8
40T5-36	40	EF	AL	63.85	62.85	66.5	40	30	36	8
42T5-36	42	EF	AL	67.00	66.00	70	40	30	36	8
44T5-36	44	E	AL	70.20	69.20	-	45	30	36	8
48T5-36	48	E	AL	76.55	75.55	-	50	30	36	8
60T5-36	60	E	AL	95.65	94.65	-	65	30	36	8



T10 (PITCH=10mm) FOR (BELT WIDTH=16mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
12T10-31	12	EF	AL	38.35	36.35	42	28	21	31	6
14T10-31	14	EF	AL	44.70	42.70	48	32	21	31	8
15T10-31	15	EF	AL	47.90	45.90	51	32	21	31	8
16T10-31	16	EF	AL	51.10	49.10	54	35	21	31	8
18T10-31	18	EF	AL	57.45	55.45	60	40	21	31	8
19T10-31	19	EF	AL	60.65	58.65	66	44	21	31	8
20T10-31	20	EF	AL	63.80	61.80	66	46	21	31	8
22T10-31	22	EF	AL	70.20	68.20	75	52	21	31	8
24T10-31	24	EF	AL	76.55	74.55	83	58	21	31	8
25T10-31	25	EF	AL	79.55	77.70	83	60	21	31	8
26T10-31	26	EF	AL	82.90	80.90	87	60	21	31	8
27T10-31	27	EF	AL	86.10	84.10	91	60	21	31	8
28T10-31	28	EF	AL	89.25	87.25	93	60	21	31	8
30T10-31	30	EF	AL	95.65	93.65	97	60	21	31	8
32T10-31	32	EF	AL	102.00	100.00	106	65	21	31	10
36T10-31	36	EF	AL	114.75	112.75	120	70	21	31	10
40T10-31	40	EF	AL	127.45	125.45	131	80	21	31	10
44T10-31	44	E	AL	140.20	138.20	-	88	21	31	10
48T10-31	48	E	AL	152.95	150.95	-	95	21	31	16
60T10-31	60	E	AL	191.15	189.10	-	110	21	31	16

T10 (PITCH=10mm) FOR (BELT WIDTH=25mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
12T10-40	12	EF	AL	38.35	36.35	42	28	30	40	6
14T10-40	14	EF	AL	44.70	42.70	48	32	30	40	8
15T10-40	15	EF	AL	47.90	45.90	51	32	30	40	8
16T10-40	16	EF	AL	51.10	49.10	54	35	30	40	8
18T10-40	18	EF	AL	57.45	55.45	60	40	30	40	8
19T10-40	19	EF	AL	60.65	58.65	66	44	30	40	8
20T10-40	20	EF	AL	63.80	61.80	66	46	30	40	8
22T10-40	22	EF	AL	70.20	68.20	75	52	30	40	8
24T10-40	24	EF	AL	76.55	74.55	83	58	30	40	8
25T10-40	25	EF	AL	79.55	77.70	83	60	30	40	8
26T10-40	26	EF	AL	82.90	80.90	87	60	30	40	8
27T10-40	27	EF	AL	86.10	84.10	91	60	30	40	8
28T10-40	28	EF	AL	89.25	87.25	93	60	30	40	8
30T10-40	30	EF	AL	95.65	93.65	97	60	30	40	8
32T10-40	32	EF	AL	102.00	100.00	106	65	30	40	10
36T10-40	36	EF	AL	114.75	112.75	120	70	30	40	10
40T10-40	40	EF	AL	127.45	125.45	131	80	30	40	10
44T10-40	44	E	AL	140.20	138.20	-	88	30	40	10
48T10-40	48	E	AL	152.95	150.95	-	95	30	40	16
60T10-40	60	E	AL	191.15	189.10	-	110	30	40	16



T10 (PITCH=10mm) FOR (BELT WIDTH=32mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
18T10-47	18	EF	AL	57.45	55.45	60	40	37	47	10
19T10-47	19	EF	AL	60.65	58.65	66	44	37	47	10
20T10-47	20	EF	AL	63.80	61.80	66	46	37	47	12
22T10-47	22	EF	AL	70.20	68.20	75	52	37	47	12
24T10-47	24	EF	AL	76.55	74.55	83	58	37	47	12
25T10-47	25	EF	AL	79.55	77.70	83	60	37	47	12
26T10-47	26	EF	AL	82.90	80.90	87	60	37	47	12
27T10-47	27	EF	AL	86.10	84.10	91	60	37	47	12
28T10-47	28	EF	AL	89.25	87.25	93	60	37	47	12
30T10-47	30	EF	AL	95.65	93.65	97	60	37	47	12
32T10-47	32	EF	AL	102.00	100.00	106	65	37	47	12
36T10-47	36	EF	AL	114.75	112.75	120	70	37	47	16
40T10-47	40	EF	AL	127.45	125.45	131	80	37	47	16
44T10-47	44	E	AL	140.20	138.20	-	88	37	47	16
48T10-47	48	E	AL	152.95	150.95	-	95	37	47	16
60T10-47	60	E	AL	191.15	189.10	-	110	37	47	16

T10 (PITCH=10mm) FOR (BELT WIDTH=50mm)

CCGMF CODE 规格	Z 齿数	Type 结构	MAT. 材料	Od	De	Df	d3	W	H	d
18T10-66	18	EF	AL	57.45	55.45	60	40	56	66	10
19T10-66	19	EF	AL	60.65	58.65	66	44	56	66	10
20T10-66	20	EF	AL	63.80	61.80	66	46	56	66	12
22T10-66	22	EF	AL	70.20	68.20	75	52	56	66	12
24T10-66	24	EF	AL	76.55	74.55	83	58	56	66	12
25T10-66	25	EF	AL	79.55	77.70	83	60	56	66	12
26T10-66	26	EF	AL	82.90	80.90	87	60	56	66	12
27T10-66	27	EF	AL	86.10	84.10	91	60	56	66	12
28T10-66	28	EF	AL	89.25	87.25	93	60	56	66	12
30T10-66	30	EF	AL	95.65	93.65	97	60	56	66	12
32T10-66	32	EF	AL	102.00	100.00	106	65	56	66	12
36T10-66	36	EF	AL	114.75	112.75	120	70	56	66	16
40T10-66	40	EF	AL	127.45	125.45	131	80	56	66	16
44T10-66	44	E	AL	140.20	138.20	-	88	56	66	16
48T10-66	48	E	AL	152.95	150.95	-	95	56	66	16
60T10-66	60	E	AL	191.15	189.10	-	110	56	66	16